



USAID
FROM THE AMERICAN PEOPLE



PACS
Capacity Building & System Strengthening
For Community Health



Running Stomach: Wash Your Hands with Soap

Who this thing for?

Our people that take care of our children them below 5

What thing the people must know?

- Your hands may look clean but that does not mean they are not dirty.
- The dirt on our hand can spoil our food and water and give us running stomach.
- The only way dirt can move from our hand is when we wash it well with soap and clean water.

What should people them do?

Always wash your hands with soap and water after pupuing and before touching any food.

Probing Questions

The Answers We Want

Q1. What kind of sickness our children them get in the community?

A1. Be asking them until they say diarrhea or running stomach.

Q2. What you think that making your children to get running stomach quick quick?

A2. Keep asking them until they say that dirty hands or playing in dirt.

Q3. How you think dirty hand then can make people stomach run?

A3. The dirt on our hands can spoil the food and water that the children then can use to drink and eat.

Q4. How you can know that your hand clean?

A4. The only way your hand can be clean is when you wash them well with soap and clean water.



Tell them that dirt sticks to the soap foam and washes away with the water to make our hands clean.

Q5. What the main time for someone to wash their hands with soap and water?

A5. When you finish pupuing, pee-peeing, cleaning baby pupu or changing baby diaper, and before touching or eating any food.

Show the “Wash Your Hands with Soap” picture.





Running Stomach: Drinking Clean Water

Who this thing for?

Our people that take care of our children them below 5

What thing the people must know?

- Even if the water looking clean, sometime it not mean it is good to drink.
- Water that is not treated can have things inside that can make people sick and can run their stomach.
- The only time water is safe to drink is when it is clear and get treatment in it.

What should people them do?

They must always put treatment like WaterGuard in their drinking water to make it safe.

Probing Questions

The Answers We Want

Q1. Go back to what they said about what thing can make our children them sick quick quick in the community. Ask them what are other things that make children stomach to run?

A1. Be asking them until they can say dirty water.

Q2. How you can know when the water is not good for someone to drink?

A2. Only water that is clear and treated with chlorine is safe to drink.

Q3. If you see chlorine like WaterGuard you will know it? You know how to use it?

A3. Just tell us small thing about how to use WaterGuard.

Show them the way to use the WaterGuard and tell them to look on the bottle for the picture that will teach.

Ask them to call the name of the people that can sell WaterGuard in the community.

Show the “Drinking Clean Water” picture.





Cleanliness: Using the Toilet

Who this thing for?

All of us

What thing the people must know?

- Touching pupu and pee-pee can make people get serious sickness, and can even make people to get running stomach.
- If people pupu and pee-pee outside, and someone or children touch it, it will make them sick.
- Using the toilet can stop people from coming into contact with pupu and pee-pee.
- We must not allow animals to pupu and pee-pee all around in the community.

What should people them do?

Everybody must always use the toilet to pupu and pee-pee so that nobody can touch it, we must also keep animal in their animal house.

Probing Questions

The Answers We Want

Q1. We talked about how dirty hands and dirty water can make our stomach to run. You know how our hands and water can be bad for us?

A1. When people pupu or pee-pee outside, it can spoil the water or we can touch it without knowing.

Q2. How can we touch pupu or pee-pee without knowing?

A2. Ask them to think about how people can touch pupu or pee-pee that outside without knowing it.

Let they say a child playing in the area, or if a fly or animal touch the pupu or pee-pee, they can carry it around and nobody will know.

Q3. What can happen mainly when a child touch pupu or pee-pee?

A3. The child can get very sick, with serious running stomach.

Q4. How do we stop our self from coming in contact with pupu and pee-pee?


A4. Let everybody use the toilet when they want pupu or pee-pee. The animal should not pupu or pee-pee all around in the community.

Show the “Using the Toilet” picture.



PACS
Capacity Building & System Strengthening
For Community Health





Running Stomach: ORS and Tay-tay Water

Who this thing for?

Our people that can take care of children under 5 years old

What thing the people must know?

- When the child get stomach running they can lose plenty water because they pupu plenty.
- When the child nah get ORS medicine and some more water to take on time, the child may die.
- Give ORS or tay-tay water to put back the water that the child lost.

What should people them do?

Start giving your child ORS as soon as you see the child stomach running plenty.

Probing Questions

The Answers We Want

Q1. What can happen to the child body when their stomach start running?

A1. The child can lost plenty water that good for the body because of the watery pupu.

Q2. What will happen to the child who stomach is running?

A2. If no water in the body, it can cause hunger and even death.

Q3. How we can stop the plenty water pupu that the child can pupu when their stomach is running?

A3. Continue giving the child plenty ORS or tay-tay water so long the child stomach continue running.

Let them know that the water lost from the running stomach should be replaced.

Show the “ORS and Tay-tay Water” picture.

Say that they must go to the clinic if the child’s stomach running stay continue for more than 24 hours, and the child is still not getting better or isn’t eating or drinking.



Malaria and Early Belly Check Up

Who this thing for?

Woman them that get belly

What thing the people must know?

- ANC let the nurse or doctor to see how the child is growing and to know how the mother is feeling.
- All the big belly woman must go to the clinic at least 4 time before she can deliver.
- Malaria is very bad for big belly women and the baby in her stomach.
- Good treatment will stop malaria from catching the pregnant woman and she will deliver safely.

What should people them do?

Go to the clinic for ANC checkups as soon you think you get belly and visit the clinic four times before you deliver your baby, and make sure to take the malaria medicine.

Probing Questions

The Answers We Want

Q1. What you see in the picture?

Show the “Malaria and Belly Check Up” picture.

A1. They should say that the woman belly is still small but, she went for check-up at the clinic.

Make them say that the woman belly is not showing yet.

Q2. Why should a woman with young belly go for check-up even when her belly is still small?

A2. The profit for ANC checkups are free mosquito net on the first visit to clinic. The nurse or doctor them can check how the child is growing and give medicine to prevent malaria.

The big belly them must take their medicine to stop malaria soon to protect the baby.

Q3. Why is it good to stop malaria when woman get belly?

A3. Big belly woman health is not strong, so it is bad for her and her baby. By stopping malaria with SP and a net, there can be a good way for the baby and the ma.

Tell them to ask the nurse or doctor them for the malaria medicine because it is very important for the big belly and baby’s health.



PACS
Capacity Building & System Strengthening
For Community Health





Malaria and Belly: Mosquito Nets

Who this thing for?

Big Belly women and their families

What thing the people must know?

- The big belly woman body not strong like our own because their body helps the baby to grow good in the stomach.
- Malaria too bad for big belly woman and her baby in her stomach.
- Sleeping under a net (LLIN) every night will help to stop malaria from catching the big belly woman.

What should people them do?

Big Belly woman them must always sleep under long lasting mosquito net with medicine on it (LLIN) every night.

Probing Questions	The Answers We Want
Q1. You think a big belly woman strong pass a woman who do not get belly?	<p>A1. She may be strong, but she needs to take care of the baby in her stomach. She cannot work the way she use to work before.</p> <p>Ask them to say what things a big belly woman must not do so she can protect her baby?</p>
Q2. They get other plenty thing that big belly woman them must do to care for the baby?	<p>A2. Sleeping under a mosquito net every night.</p> <p>They may say plenty things, but ask them if a big belly should take plenty medicine against malaria if they do not call nets.</p> <p>Show the “Mosquito Nets” picture.</p>
Q3. What make it good for a big belly woman to sleep under a mosquito net?	<p>A3. Big belly woman them health is lazy as her body is helping to grow the baby. If the big belly get malaria, it will be bad than when she did not have belly. Malaria will affect the baby too.</p>



Belly and Good Food

Who this thing for?

Women that get belly and their families

What thing the people must know?

- Woman that get belly needs to eat big part of the food and special food too.
- Woman that get belly body needs more good food to be fine and to help the baby get big.

What should people them do?

Make sure that woman them that get belly eat plenty of food and other different food when they get belly.

Probing Questions

The Answers We Want

Q1. What can you see in this picture?

Show the “Belly and Good Food” picture.

A1. They should know that a woman get belly, and she is eating a lot special food – more than what some people them can eat normally.

Q2. Why do you think she is eating like that for?

A2. Since she get belly, her body need plenty food and other different food to stay well and have good and healthy baby.

Q3. What kind of food good for the belly woman them to eat?

A3. Eat plenty of good meat and fish, green leafy vegetables, milk products, beans, nuts sweet potatoes, plums and plenty water.



Delivering Baby in the Clinic

Who this thing for?

Women that get belly and their families them

What thing the people must know?

- Every woman that get belly may get some problem.
- The clinic or hospital areas are the only places that have good material to help big belly woman when she wan deliver.
- The clinic or hospital is there to help big belly woman like her.

What should people them do?

Make a plan with their family member them for the big belly to deliver in the hospital or clinic.

Probing Questions

The Answers We Want

Q1. Tell me what you see in this picture?

A1. A big belly is about to give birth in the clinic. The nurse them looking after her.

Show the “Delivering Baby in the Clinic” picture.

Q2. What the good things you can get if you go deliver to the clinic?

A2. Ask them to think about the following:

- What if you get problem when you delivering? At the clinic trained people them are there to help you and they get special tools in case something bad happen to you or the baby.
- When time reach for woman to deliver, that worrying time. At the clinic, you can relax because people them will take care of you good.
- When the big belly deliver, the new baby ma will get new net for she and her baby.

Q3. You get plan to go deliver to the clinic or hospital?

A3. If yes, find out if they have talk to their family about planning where to deliver (where they will go, who will carry her, and plenty other thing).

If no, find out from the big belly woman why she not planned yet and talk to her about it.



New Baby Ma Check Up

Who this thing for?

Big Belly women and their families

What thing the people must know?

- The new baby ma them must bring their new baby them to the clinic three (3) time after delivering; first, within 24 hours or one day when the woman born the baby, the second time will be one week after delivering and the last time should be within 6 weeks after delivering.
- Right after delivering, when you go to the clinic or hospital, health workers them will be looking after the health of the mother and their new baby them. The baby them will get good vaccine and baby ma them can talk with the health worker about any problems.
- A new baby ma them must go to the clinic quick quick if there are any problem on the baby ma them or on the new baby them.

What should people them do?

New baby ma them must carry their baby them for birth or normal checkups to show that they and their baby them are healthy.

Probing Questions

The Answers We Want

Q1. Is it good for a woman to go for checkups at the clinic after giving birth even if she delivered at the hospital?

A1. Yes, because sometimes the baby ma them can still have problems after giving birth and they can get a checkup at the clinic to make sure everything all right.

Q2. Should the baby ma them carry their new born baby them with them to the clinic when they go for checkup?

A2. Yes, because the baby them need to get checkups too and they can go together at the same time.

Tell the baby ma them that they and their baby them need checkups 24 hours after delivery, 1 week after delivering and six weeks after delivering.

Show the “New Baby Ma Check Up” picture.

Q3. What the baby ma them must do if they see any problem or something going wrong with them or their baby them?

A3. They must go to the clinic or take their baby them to the clinic quick quick.





Giving Tay-tay Water

Who this thing for?

Big belly women and baby ma who just give birth

What thing the people must know?

- After the baby ma give birth, the tay-tay water can be yellow.
- That yellow tay-tay water is good and rich and can give the baby healthy body.
- Tay-tay water get all the good food that a child need up to six months.
- When a possible, tay-tay water is the only thing that should be given to a baby for the first 6 months.
- After six months, the baby them need some other foods, but tay-tay water should not stop but continue up to at least two years.

What should people them do?

Give the baby only tay-tay water right after the woman deliver and up to 6 months. Continue tay-tay water giving at least up to 2 years with food.

Probing Questions

The Answers We Want

Q1. Do you know what happen to the baby ma tay-tay water right after she deliver?

A1. The first tay-tay water is special from normal tay-tay water. That first tay-tay water get plenty good food and can give the baby them protection from their mother.

Q2. Do you think that baby them must have other food to eat apart from tay-tay water?

A2. For the first six months, tay-tay water is all the food and water that the baby them need. Anything else is less good and should not be given to the baby them.

Explain to them that baby is also still getting its protection from tay-tay water, and if the baby start eating other food then its protection will reduce.

Show the “Giving Tay-tay Water” picture.

Q3. When should the baby them start taking other food?

A3. After six months, the baby them must start eating other foods, but should still take tay-tay water at least up to 2 years.

Q4. What kind of food good for the baby them to start taking after six months?

A4. Examples of good food for baby them after six months are: rice dust, plantain dust, eddo, mixed with bennie seed, bony dust, or peanut butter.



PACS
Capacity Building & System Strengthening
For Community Health





Five Times Vaccination for Baby

Who this thing for?

Man and woman that take care of children that not reach 12 months old yet.

What thing the people must know?

- The vaccines them can stop plenty of bad sickness among our children. A child who did not get vaccines can get sick fast fast and sometime they can die.
- There are many vaccines and they are safe. Parents should take their baby them to the clinic for vaccine five (5) time before their baby them reach 1 year old to stop their baby them from getting too many sickness.
- When the baby take vaccines, he can get small fever, and pain in their body. This one is normal. It means that the baby body is learning how to fight sickness.
- The vaccines them now are the same like the one the people use before Ebola could come to Liberia.

What should people them do?

Take the children them to the clinic for vaccine five times in their first year of life, and get their vaccine card too.

Probing Questions

The Answers We Want

Q1. Do you know why baby them can take vaccine?

A1. The vaccine them can stop/protect our children them from plenty sickness. The vaccine them can make our children grow strong, big and give our children a healthy life when they grow up.

Q2. How many times the caretaker them must take the baby to the clinic for vaccine?

A2. A baby must go to the clinic five times to get vaccine before they reach one year old.

Show the “Five Times Vaccination for Baby” picture.

Q3. How will someone know when to carry their baby to the clinic for vaccine?

A3. The vaccine card tell us the time when the baby must go to the clinic and what vaccine they will get.

Tell them that these vaccine them are the same one them MOH (the government house for health) has been given to their children them many years, even before Ebola could come in Liberia.





Stopping Malaria: Mosquito Nets for Baby

Who this thing for?

Man and woman that take care of children under 5 years old

What thing the people must know?

- Sleeping under a mosquito net (the one the health people call Long Lasting Insecticide Treated Net, LLIN) can stop a child from dying from malaria.
- That both the mom and pa work to make show their child/children them sleep under a net (LLIN) every night.

What should people them do?

That our work to make sure children under 5 year sleep under the mosquito net (LLIN) and the net must be fix good under the mattress for mosquito not to enter.

Probing Questions

The Answers We Want

Q1. What you see in this picture?

Show the “Mosquito Nets for Baby” picture.

A1. They should say that a child is sleeping under a net, that both the ma and pa are pushing the net under the mattress to stop mosquitoes from getting in.

Q2. That who business to see to it that children sleep under the net?

A2. They may say that the children mother business.

Ask them to tell you if that child ma not there, who will take care of the child. Ask what if the child mom not well?

Q3. We that in family, what can we do to make show the children them sleep under a net every night?

A3. We the family member them must make it our business to make sure children sleep under net, either by doing it themselves or by making sure someone else do it.



Cure for Malaria: Right Check Up

Who this thing for?

People them that care for children them under 5

What thing the people must know?

- That not all fevers be malaria, and good checkup make it good for us to get the right medicine.
- The medicine to treat malaria is not strong to cure other sickness, so the person will continue to get sick if he or she not go for good checkup to the clinic or hospital.
- Children them under 5 year that get malaria must get ACT or malaria medicine **before 24 hours** of the sign of malaria.

What should people them do?

Go to the clinic first for malaria test, before you start taking ACT, but for children under 5, treatment must start before one day of the sign of malaria.

Probing Questions

The Answers We Want

Q1. What the common sign we can see that can show that malaria?

A1. They will name signs, but fever must be among them.

Q2. When you get fever, that mean you get malaria?

A2. No, other sickness them can bring fever like normal cold or cholera.

Tell them that malaria medicine is only good for malaria. If the person not get malaria, then they may only get sick if they not check them well.

Q3. How you can be sure that someone get malaria and so they must take malaria medicine?

A3. The only way to know is to do a test call RDT in the clinic or hospital near you (or from the CHA).

Show the “Cure for Malaria: Right Check Up” picture.

Q4. When you think your child get malaria, where you can go to get malaria test?

A4. The person shall call the name of a local healthcare person they can go to. Give them location if they done no.

Let them know the ACT must be use to treat malaria within one day of the sign to stop their child from having problems.



PACS
Capacity Building & System Strengthening
For Community Health





Cure for Malaria: Completing all the Medicine

Who this thing for?

People them that take care of children under 5 years.

What thing the people must know?

- Malaria can kill children who under 5 years fast.
- The MOH (the government house responsible for health) says ACT is best medicine for malaria.
- The correct way to protect the child/children them health is to give them all the ACT medicine.

What should people them do?


Always take all your ACT medicine to treat malaria.

Probing Questions	The Answers We Want
Q1. Tell me what you see in this picture? Show the “Completing all the Medicine” picture.	A1. They should say the well looking child is taking the last ACT medicine. Tell them that the malarial medicine ACT is what MOH show to cure for malaria.
Q2. Why some people them do not give all the malaria medicine?	A2. Malaria medicine expensive. When the child start playing again, some parent can think that the child finish get better and then they will keep the balance medicine for next time. You see in this picture here the child looking better, but the ma still giving the child the last tablet.
Q3. What will happen if you do not give your children all the ACT medicine?	A3. All the malaria will not go, it will give the children them hard time, then we will need to take them to the hospital and not clinic now.



PACS
Capacity Building & System Strengthening
For Community Health





Stopping Rabies & Cure

Who this thing for?

All of us

What thing the people must know?

- The sign people know about rabies, when you see the dog mouth running water and when it change a behavior, then it get rabies plenty. Dogs, cats, bats, and monkeys can all get rabies.
- When rabies just starting, the animal may act shame or it will be easy.
- If animal bite someone, they must carry the person to the clinic or hospital quick quick for a rabies vaccination.
- We must stop eating the head of these animals (dogs, cats, bats and monkeys).
- When the signs showing, it can be hard for the people them to live.

What should people them do?

Let us stay away from animals them that not take vaccine against rabies yet, even if we know them. If the animals bite or scratch us, we must go to the clinic quick for rabies vaccination.

Probing Questions

The Answers We Want

Q1. Tell me what all in this picture.

A1. It look like the man scare of the dog.

Show the “Stopping Rabies & Cure” picture.

Be asking them what thing make the man scare. Something wrong with the dog?

Q2. What are the common thing we can see to know that the animal get rabies?

A2. The common thing we can see on the animal to know that it get rabies are foam coming from the mouth or bad behavior or action.

Tell the people them that if the dog mouth running with water, that sign not good and if that dog do not like to go to people or that dog change the way it act, like too much shame face or submission behavior when it just starting, then that is sign of rabies.

Also tell the people them that cats, bats and monkeys can get dog sickness too. That thing the people them call rabies.

Q3. Why people must stay away from dogs, even if the dog not looking sick or if you know it?

A3. If a lost dog is having shame face, nobody will know if it get rabies sickness. If we run behind it or play with it, it might turn violent and bite us.


Q4. What shall people them do if dog or other animal bite them?

A4. They must go quick quick to the nearby clinic for vaccination so that they cannot get rabies too. Once the signs appear, it can be hard for the person to survive rabies even if they give them treatment.



PACS
Capacity Building & System Strengthening
For Community Health





Ebola: Dead Body Checking

Who this thing for?

All of us

What thing the people must know?

- Ministry of Health say all our dead bodies must be check for Ebola first.
- Dead body checking that to take spit from the dead body mouth with cotton ball to check for Ebola.
- When the people them finish testing the dead body and the person not die from Ebola, the family can take the body to bury the way we always do it.
- When the person die from Ebola, the hospital people them will bury the dead body.

What should people them do?

If there is any dead body, tell your community leader and call 4455.

Probing Questions

The Answers We Want

Q1. You think what make it good for us to test every dead body for Ebola?

A1. To get any new cases of Ebola and then control it from going around.

Q2. If everybody must be tested, why some people them will feel that people want show them or pointing their finger on them?

A2. Maybe they will give plenty reasons, some of the reason them that because the person is wearing PPE, however your who showing this thing to them can make them to know that since health people can wear PPE every time, then no reason one person should feel they pointing finger on them.

Q3. Can dead body checking get in the way with the traditional burial practices?


A3. If the community is far away and get bad road, it may take the team one or two days to reach. But if the normal time between death and burial in their community is more than 2 to 3 days, then nothing will be in the way.

Tell the people if the dead body is showing signs of Ebola, then we must leave the dead body with the health people them so they can bury it in a safe place. But if the dead body not show sign of Ebola, then the health people will let us bury the dead body normal.

Show the “Ebola: Dead Body Checking” picture.



Call 4455



Ebola: Keep Sick Family Members in Their Own Place

Who this thing for?

All of us

What thing the people must know?

- You will get Ebola if you touch anyone with Ebola-like symptoms or their body water.
- When people start getting treatment soon for Ebola soon, that good sign that they will get better.
- Our community leader(s) them can help and we can call 4455 for other people to help.

What should people them do?

When someone sick with Ebola sign, then tell your community leader and call 4455.

Probing Questions

The Answers We Want

Q1. What we must do if someone get sick from Ebola or showing signs of Ebola?

A1. We must keep them in a different other place, or in their own self room. They must not walk around or go to the clinic. People them must not go near the sick people them or touch them or their body water.

Q2. What are the chances for people them to survive from Ebola?

A2. The quick the people them get treatment the better their luck to survive. So we shall call for help quick quick.


Q3. You know the people them you need to call for help?

A3. We will then call 4455 and then we talk to community leaders about the sick people with Ebola.

Show the “Ebola: Keep sick family members in their own place” picture.



Call 4455



Hand Washing to Stop Ebola

Who this thing for?

All of us

What thing the people must know?

- One easy way people can get Ebola is touching, touching that between two people or touching someone that already get Ebola.
- This hand washing thing can help to us not to get Ebola by touching.
- This Ebola is still here and we need to keep doing protective things them.

What should people them do?

Always wash your hands to reduce chance of getting Ebola.

Probing Questions

The Answers We Want

Q1. Do you know how people get Ebola from other people?

A1. When someone get Ebola and the other person touch water from that person body, he too will get Ebola.

Q2. Someone that get Ebola touch something and other person touch that something; then Ebola can be passed that way?

A2. Yes oh.

Look, think about anything(s) that people themselves can touch always like doors, benches, railing, commercial vehicles etc.

Na you know that we can touch anything without even thinking.

Q3. What we must do to protect ourselves from getting Ebola by touching people, people them with Ebola have touch?

A3. We people shall wash our hands always, mainly when we come home from around the community or town.

Show the “Hand Washing to Stop Ebola” picture.



Trust & Use of Clinic

Who this thing for?

All of us

What thing the people must know?

- That clinic in our town now re-opened again and working.
- The worker them at the clinic or hospital still wear their protection suite to protect you and protect them.

What should people them do?

Go to the clinic, if people feeling sick or need to see doctor.

Probing Questions

The Answers We Want

Q1. What you see in this picture?

Show the “Trust & Use of Clinic” picture.

A1. People them in line to go to the clinic. They are checking their temperature and washing their hands too.

Q2. What thing happen to our clinic when Ebola was here

A2. They close the clinic to stop the spread of Ebola. It was too bad for you to be near sick people them during that time.

Q3. What thing you hear about the clinic now?

A3. That now our clinic open again and treating us.

Q4. Why do you think people them still taking temperatures and washing their hands them?


A4. Ebola still here, we been hearing about it time after time in that place or in that other place. So we must keep washing to our hands to stop Ebola.



PACS
Capacity Building & System Strengthening
For Community Health



COMMUNITY
CLINIC



That Our Care for Health Workers

Who this thing for?

All of us

What thing the people must know?

- Health Care Workers them get plenty work on their head and working in hard place.
- Health Care Workers them care for us and they like to help us.
- My people, let work with the Health Care Workers to make thing easy for them and us.

What should people them do?

Help health worker them to help us.

Probing Questions

The Answers We Want

Q1. What you see in the picture?

A1. The family and a health care worker at the clinic.

Show the “That our Care for Health Workers” picture.

The health care worker and this family looking fine. They all happy.

Q2. When you go to the clinic, what it look like there?

A2. Tell me, the time you went to the hospital or clinic and you had bad time or good time there.

Q3. What can bring bad feeling when you go to the clinic?

A3. Ask them to look for below problems them and problem that be on the health worker them.

- The clinic can be pack with people.
- No medicines can be there sometime.
- Sometimes patients them can come late, then do not come with their cards, they will not go by what the hospital people say.

Q4. What patients them can do to make the clinic look good more than what in the picture?

A4. We must know that health workers them get plenty work on their head, so we must help them so they can help us too.

Things them that we must do to help are, we go to the clinic on time, carry our cards with us too, and ask questions when we do not know.



PACS
Capacity Building & System Strengthening
For Community Health



